

Material Name/#	Composition	Hardness	Density g/cc	Conductivity %IACS
AgW50	50%Ag 50%W	B65	13.3	62
AgW65	35%Ag 65%W	B85	14.6	50
AgW73	27%Ag 73%W	B94	15.4	45
AgMo65	35%Ag 65%Mo	B87	10.1	40
AgWC35	65%Ag 35%WC	B41	11.5	57
AgWC40	60%Ag 40%WC	B55	11.7	54
AgWC50	50%Ag 50%WC	B80	12.3	47
AgW15	85%Ag 15%W		10.9	
AgW20	80%Ag 20%W		11.2	
AgWC48Co2	50%Ag 48%WC 2%Co	B78	12.1	47
AgWC58Co2	40%ag 58%WC 2%Co	B88	12.6	37
CuW66	34%Cu 66%W	B86	13.5	52
CuW70	30%Cu 70%W	B90	14	48
AgC3	97%Ag 3%C	15T27	9.1	75
AgC4	96%Ag 4%C	15T24	8.9	67
AgWC27C3	70%Ag 27%WC 3%C		9.9	